

WEST Search History

DATE: Thursday, February 01, 2007

Hide?	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<input type="checkbox"/>	L28	L27 and "code module"	11
<input type="checkbox"/>	L27	L26 and "chipset"	78
<input type="checkbox"/>	L26	L25 and (asymmetric key)	217
<input type="checkbox"/>	L25	L24 and L23	217
<input type="checkbox"/>	L24	(decrypt\$3 or decod\$3 or decipher\$3) same (signature)	10551
<input type="checkbox"/>	L23	(key) same (embed\$4) same (chipset or integrated circuit)	2208
<input type="checkbox"/>	L22	713/176.ccls.	2223
<input type="checkbox"/>	L21	713/181.ccls.	365
<input type="checkbox"/>	L20	726/32.ccls.	87
<input type="checkbox"/>	L19	L18 and L17	1
<input type="checkbox"/>	L18	(embed\$3) near (chipset or integrated circuit)	6816
<input type="checkbox"/>	L17	(decrypt\$3 or decod\$3 or decipher\$3) near (signature) near (key)	116
<input type="checkbox"/>	L16	(decrypt\$3 or decod\$3 or decipher\$3) near (signature) near (key) near (embed\$3)	0
<i>DB=PGPB; PLUR=YES; OP=OR</i>			
<input type="checkbox"/>	L15	L10 and "asymmetric"	0
<input type="checkbox"/>	L14	L10 and "public"	0
<input type="checkbox"/>	L13	L10 and "public key"	0
<input type="checkbox"/>	L12	L11 and "public"	0
<input type="checkbox"/>	L11	L10 and "BIOS"	0
<input type="checkbox"/>	L10	L8 and "FPGA"	1
<input type="checkbox"/>	L9	L8 and "chipset"	0
<input type="checkbox"/>	L8	L7 and (embed\$3)	1
<input type="checkbox"/>	L7	L2 and "key"	1
<input type="checkbox"/>	L6	L2 and "code"	0
<input type="checkbox"/>	L5	L4 and "key"	0
<input type="checkbox"/>	L4	L3 and "code"	0
<input type="checkbox"/>	L3	L2 and "signature"	0
<input type="checkbox"/>	L2	L1 and (decrypt\$3)	1
<input type="checkbox"/>	L1	20020150252	1

END OF SEARCH HISTORY

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

signature, embed, asymmetric, chipset, auther

[Advanced Search](#)
[Preferences](#)**Web** Results 1 - 10 of about 98 for **signature, embed, asymmetric, chipset, authentication "code module"**.**Authenticated code module - Patent 20030126442**

The **code module** of claim 2, wherein the **signature** comprises a digest value ... an **asymmetric key embedded** in a hardware component of the computing device. ...
www.freepatentsonline.com/20030126442.html - 71k - [Cached](#) - [Similar pages](#)

aaa abdominal aortic aneurysm aaa access all areas

XPE eXtreme Performance Enhancement XPE [Microsoft Windows] XP **Embedded** XPF eXPlosion-release Factor XPF eXtended Packet Filter XPG eXcellent Personal ...
www.xs4all.nl/~jtv/gtf/GPL_TLA_FAQ - 605k - [Cached](#) - [Similar pages](#)

[PDF] The Intel Safer Computing Initiative

File Format: PDF/Adobe Acrobat

key for the symmetric algorithm uses **asymmetric**, where the speed is not ... **chipset-specific authenticated code module**. This module is tests for an ...
www.intel.com/intelpress/validation100/secc/SECC_100Validation.pdf - [Similar pages](#)

rootr.net : man : c (1)

Lets you **embed** Perl code into HTML documents. Perl code is evaluated at the server ...
[ggFreeModule](#), [ggGetSymbolAddress \(3\)](#) - **Portable code module** loading ...
www.root-route.org/man/man/c++/1 - 886k - [Cached](#) - [Similar pages](#)

rootr.net : man : G(2)

Pod::Usage, pod2usage() (3p) - print a usage message from **embedded pod** ...
RSA_padding_check_none (3) - **asymmetric** encryption padding RSA_print, ...
www.root-route.org/man/man/G/2 - 250k - Supplemental Result - [Cached](#) - [Similar pages](#)

rootr.net : man : s(3p)

S (3o) - The output **signature** of the functor Hashtbl.Make. ... Lets you **embed** Perl code into HTML documents. Perl code is evaluated at the server side and ...
www.rootr.net/man/man/s/3p - 811k - [Cached](#) - [Similar pages](#)

rootr.net : man : O(1)

... RSA_padding_check_none (3) - **asymmetric** encryption padding RSA_print, ... DECchip 21072/21071 Core Logic **chipset** apio (4/SPARC64) - SBus Aurora pio1 ...
www.rootr.net/man/man/O/1 - 250k - Supplemental Result - [Cached](#) - [Similar pages](#)

From horms at verge.net.au Sun Oct 1 04:42:01 2006 From: horms at ...

Also, it relies on clocks being synchronized, since **authentication** will fail if the UTC ... SPA packets are non-replayable in both **asymmetric** and symmetric ...
lists.netfilter.org/pipermail/netfilter-devel/2006-October.txt - 694k - [Cached](#) - [Similar pages](#)

rootr.net : man : N(1)

... DSA_SIG_free (3) - allocate and free DSA **signature** objects DSA_do_sign, ...
RSA_padding_check_none (3) - **asymmetric** encryption padding RSA_print, ...
sshfs.net/man/man/N/1 - 250k - Supplemental Result - [Cached](#) - [Similar pages](#)

rootr.net : man : r(0)

... DECchip 21072/21071 Core Logic **chipset** apio (4/SPARC64) - SBus Aurora pio1 ...
auth_verify (3) - simplified interface to the BSD **Authentication** system ...
www.rroute.com/man/man/r/0 - 250k - Supplemental Result - [Cached](#) - [Similar pages](#)

Result Page: 1 2 3 4 **Next**

Try [Google Desktop](#): search your computer as easily as you search the web.

signature, embed, asymmetric, chipset

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google